


Decking


Designer Redwood



Other Options Available.

- Finish – Prefinish Available – Sikkens Wood Finish Specialist
- Stain – SRD, Semi – Transparent, Rubbol Solid, DEK
- Surface - Textured Surfaces Available
- Optional Sizes: 2" x 6"
- Grades - Redwood – Clear All Heart Mixed Grain, Clear All Heart Vertical Grain

Installation Guide



[Click to view instructions](#)

Finishing and Maintenance Recommendations

Product	Preparation Required	Recommended Finish	Application	Average Length of Maintenance Cycle	Required Maintenance Steps
Designer Redwood Clear All Heart Mixed Grain or Vertical Grain	None, it comes dried and sanded ready for prefinishing	Sikkens SRD Oil Finish	1 coat on all sides and ends	1 to 3 years depending on traffic and exposure to the sun	Prior to refinishing, mix cleaning solution of 2 oz. TSP, 1 quart bleach, 3 quarts of water. Using a pump garden sprayer, spray solution on a wetted deck, let sit 15 minutes, and then power wash. Allow to dry 2 days, then apply one coat of Sikkens SRD Finish
Designer Redwood Clear All Heart Vertical Grain	None, it comes dried and sanded	With the Clear All Heart Vertical Grain grade you have the option to not apply a finish and allow it to weather to a soft silver gray	N/A	Annually	Mix cleaning solution of 2 oz. TSP, 1 quart bleach, 3 quarts of water. Using a pump garden sprayer, spray solution on a wetted deck, let sit 15 minutes, and then power wash.

www.kwaterskibros.com

Nation's Largest Selection of Creative Wood Products